

## BOLZANO

## TECHNICAL DESCRIPTION

### FRAME

Lacquered tubular steel, mechanically welded.

### SUSPENSION

Interwoven elastic webbing, width 50 mm.

### SEAT CUSHION PADDING

High resilience polyurethane cold-molded foam.

The triangular lower part is HR 35/S, the triangular upper part is HR T30/C.

35 kg/m<sup>3</sup> = 3.8 kPa of bearing capacity\* at 40% compression.

30 kg/m<sup>3</sup> = 2.8 kPa of bearing capacity\* at 40% compression.

The cushion is then wrapped in a special, anti-perforation 100% cotton quilted lining of new goose and duck feathers, washed and sterilized at 140 ° (50% goose - 50% duck).

All padding is wrapped in polyester fabric.

Removable cover by zipper.

Loose cushion.

### BACK PADDING

High resilience polyurethane cold-molded foam HR 30, 21/M and 22 Airsoft.

30 kg/m<sup>3</sup> = 4.6 kPa of bearing capacity\* at 40% compression.

21 kg/m<sup>3</sup> = 1.8 kPa of bearing capacity\* at 40% compression.

22 kg/m<sup>3</sup> = 1 kPa of bearing capacity\* at 40% compression.

All this is wrapped in Dacron Dupont de Nemours 808/T = 650 gr/m<sup>2</sup>.

Double reclining back mechanism integrated with padding; protection cover and reinforcing connection webbing between the two mechanisms.

Removable cover by Velcro strip.

Fixed cushion.

### ARM PADDING

High resilience polyurethane cold-molded foam.

HR 30 and 25 wrapped in Dacron Dupont de Nemours 808/T = 650 gr/m<sup>2</sup>.

30 kg/m<sup>3</sup> = 2.8 kPa of bearing capacity\* at 40% compression.

25 kg/m<sup>3</sup> = 4.5 kPa of bearing capacity\* at 40% compression.

Removable cover by Velcro strip.

Fixed cushion.

### FEET

Steel feet, matt black epoxy finish, oven heated. Height 20 cm.

Central foot for 245 and 265 cm sofas.

### BED-SOFA

Not available.

### REMOVABLE COVER

When in fabric, cover is entirely removable by Velcro strip;

when in leather, cover is not removable.



### OPTIONAL CUSHIONS FILLING

Piumafill (50% feathers, 50% polyester fibre).

The presence of feathers or polyester fibres gives an intentionally soft appearance.

This is incompatible with the tastes of customers loving rigid cushions.

With the aim of improving quality, Triss reserves the right to make any technical and material change without notice.



\* bearing capacity: capacity of a material to withstand compression