

NOVARA

TECHNICAL DESCRIPTION

FRAME

Lacquered tubular steel, mechanically welded.

FRAME PADDING

High resilience polyurethane cold-molded foam. Upper part HR 75/SR, the other parts

HR 40/PH, wrapped in polyester fibre fabric 200 gr/m².

75 kg/m³ = 14 KPa of bearing capacity* at 40% compression.

40 kg/m³ = 8 KPa of bearing capacity* at 40% compression.

SUSPENSION

Interwoven elastic webbing, width 80 mm.

SEAT CUSHION PADDING

High resilience polyurethane cold-molded foam. Front part HR T30/C, back part HR T25/N

30 kg/m³ = 2.7 KPa of bearing capacity* at 40% compression.

25 kg/m³ = 2.8 KPa of bearing capacity* at 40% compression.

The cushion is wrapped in a special, anti-perforation 100% cotton quilted lining of Piumafill (50% new goose and duck feathers, washed and sterilized at 140 ° and 50% polyester fibre).

All padding is wrapped in polyester fabric.

Removable cover by zipper.

Loose cushion.

BACK CUSHION PADDING

High resilience polyurethane cold-molded foam HR PF30/FR

30 kg/m³ = 2.1 KPa of bearing capacity* at 40% compression.

The cushion is wrapped in a special, anti-perforation 100% cotton quilted lining of Piumafill (50% new goose and duck feathers, washed and sterilized at 140 ° and 50% polyester fibre).

Removable cover by zipper.

Loose cushion.

ARM PADDING

High resilience polyurethane cold-molded foam. Upper part HR 75/SR, the other parts

HR 40PH, wrapped in polyester fibre fabric 200 gr/m².

75 kg/m³ = 14 KPa of bearing capacity* at 40% compression.

40 kg/m³ = 8 KPa of bearing capacity* at 40% compression.

Removable cover by Velcro strip.

Fixed cushion.

FEET

Steel feet, matt black epoxy finish, heated in oven. Height 15 cm.

Central foot for 254 and 274 cm sofas.

BED-SOFA

Not available.

REMOVABLE COVER

When in fabric, cover is entirely removable by Velcro strip;

when in leather, cover is not removable.

OPTIONAL CUSHIONS FILLING

Piumafill (50% feathers, 50% polyester fibre).

The presence of feathers or polyester fibres gives an intentionally soft appearance. This is incompatible with the tastes of customers loving rigid cushions.

With the aim of improving quality, Triss reserves the right to make any technical and material change without notice.

* bearing capacity: capacity of a material to withstand compression

